

L Number	Hits	Search Text	DB	Time stamp
-	6	600/\$.ccls. and bowers.in.	USPAT; EPO; JPO; DER WENT	2003/09/11 16:08
-	3	600/529-543,301.ccls. and (oxyhemoglobin adj saturation) and (pulse adj rate)	USPAT; EPO; JPO; DER WENT	2003/09/09 16:09
-	23	5605151.URPN.	USPAT	2003/09/09 16:00
-	5	("4365636" "4630614" "5275159" "5385144" "5398682").PN.	USPAT	2003/09/09 16:07
-	12	600/300-301,529-543.ccls. and (expert with (system or center)) and apnea	USPAT; EPO; JPO; DER WENT	2003/09/09 17:03
-	12	600/300-301,529-543.ccls. and ((database or server or (expert adj (system or center))) same (apnea or respiratory)) and (oximeter or oxygen or hemoglobin) and ((pulse or heart) adj rate)	USPAT; EPO; JPO; DER WENT	2003/09/09 20:15
-	16	600/\$.ccls. and ((database or server or (expert adj (system or center))) same (apnea or respiratory)) and (oximeter or oxygen or hemoglobin) and ((pulse or heart) adj rate)	USPAT; EPO; JPO; DER WENT	2003/09/09 20:41
-	16	("4730259" "4731725" "4733354" "4839822" "4872122" "5005143" "5023785" "5072383" "5126957" "5330505" "5355893" "5413110" "5452714" "5485850" "5560352" "5752509").PN.	USPAT	2003/09/09 20:34
-	3	6148814.URPN.	USPAT	2003/09/09 20:35
-	26	("2414747" "3734091" "4121578" "4326513" "4612928" "4665911" "4671297" "4869253" "4889116" "4932402" "4972842" "4986268" "5103814" "5119815" "5251632" "5315990" "5365922" "5388575" "5560352" "5682877" "5752509" "6035223" "6148814" "6192260" "6272363" "6387324").PN.	USPAT	2003/09/09 20:35
-	8	600/\$.ccls. and ((expert adj (system or center)) same (apnea or respiratory))	USPAT; EPO; JPO; DER WENT	2003/09/09 20:42
-	108	600/300-301,529-543.ccls. and (expert adj (system or center))	USPAT; EPO; JPO; DER WENT	2003/09/09 20:44
-	5	600/300-301,529-543.ccls. and (expert adj (system or center)) and ((pulse adj oximeter) or ppg) and ((heart or pulse) adj rate)	USPAT; EPO; JPO; DER WENT	2003/09/09 20:43
-	17	600/\$.ccls. and (expert adj (system or center)) and apnea	USPAT; EPO; JPO; DER WENT	2003/09/09 20:47
-	18	600/\$.ccls. and (expert adj (system or center)) and (respiratory with disease)	USPAT; EPO; JPO; DER WENT	2003/09/09 20:48
-	67	600/529-543.ccls. and ((pulse adj oximeter) or ppg or probe or sensor) and ((oxygen or oxyhemoglobin) with saturation) and ((heart or pulse) with rate)	USPAT; EPO; JPO; DER WENT	2003/09/09 20:49
-	39	600/529-543.ccls. and ((pulse adj oximeter) or ppg or probe or sensor) and ((oxygen or oxyhemoglobin) with saturation) and ((heart or pulse) with rate) and apnea	USPAT; EPO; JPO; DER WENT	2003/09/09 20:49

-	8	600/529-543.ccls. and ((pulse adj oximetry) or ppg or probe or sensor) and ((oxygen or oxyhemoglobin) with saturation) and ((heart or pulse) with rate) and CPAP	USPAT; EPO; JPO; DER WENT	2003/09/09 20:49
-	2	600/\$.ccls. and server and apnea and ((pulse adj oximetry) or PPG or photoplethysmograph) and ((oxygen or oxyhemoglobin) with saturation) and ((pulse or heart) adj rate)	USPAT; EPO; JPO; DER WENT	2003/09/10 17:27
-	30	600/\$.ccls. and (central or expert) and apnea and ((pulse adj oximetry) or PPG or photoplethysmograph) and ((oxygen or oxyhemoglobin) with saturation) and ((pulse or heart) adj rate)	USPAT; EPO; JPO; DER WENT	2003/09/10 17:54
-	8	600/\$.ccls. and modem and apnea and ((pulse adj oximetry) or PPG or photoplethysmograph) and ((oxygen or oxyhemoglobin) with saturation) and ((pulse or heart) adj rate)	USPAT; EPO; JPO; DER WENT	2003/09/10 17:57
-	36	600/\$.ccls. and (storage or memory) and apnea and ((pulse adj oximetry) or PPG or photoplethysmograph) and ((oxygen or oxyhemoglobin) with saturation) and ((pulse or heart) adj rate)	USPAT; EPO; JPO; DER WENT	2003/09/16 21:02
-	2	09/169781	USPAT; EPO; JPO; DER WENT	2003/09/11 16:28
-	9	600/\$.ccls. and (computer or processor or controller) and (server or expert or database) and (apnea or respiratory) and ((pulse adj oximetry) or ppg or photoplethysmograph) and ((oxygen or oxyhemoglobin) with (saturation or desaturation)) and (pulse adj rate)	USPAT; EPO; JPO; DER WENT	2003/09/11 16:29
-	24	(600/\$.ccls. 604/\$.ccls.) and (CPAP same (time with pressure)) and (store or record or memory)	USPAT; EPO; JPO; DER WENT	2003/09/15 19:34
-	109	(600/\$.ccls. 604/\$.ccls.) and (saturation with level with time)	USPAT; EPO; JPO; DER WENT	2003/09/15 19:35
-	18	600/\$.ccls. and (storage or memory) and apnea and ((pulse adj oximetry) or PPG or photoplethysmograph) and ((oxygen or oxyhemoglobin) with saturation) and ((pulse or heart) adj rate) and (head or forehead or face)	USPAT; EPO; JPO; DER WENT	2003/09/16 21:15
-	0	600/\$.ccls. and apnea and ((pulse adj oximetry) or PPG or photoplethysmograph) and ((oxygen or oxyhemoglobin) with saturation) and ((pulse or heart) adj rate) and (transmission with coil)	USPAT; EPO; JPO; DER WENT	2003/09/16 21:15
-	6	600/\$.ccls. and apnea and ((pulse adj oximetry) or PPG or photoplethysmograph) and (transmission with coil)	USPAT; EPO; JPO; DER WENT	2003/09/16 21:16
-	25	600/\$.ccls. and apnea and ((pulse adj oximetry) or PPG or photoplethysmograph) and desaturation	USPAT; EPO; JPO; DER WENT	2003/09/16 21:54
-	25	(³ 704706" "3998550" "4086915" "4266554" "4407290" "4759369" "4955379" "5025791" "5078136" "5368026" "5524617" "5575284" "5632272" "5645060" "5662106" "5746206" "5779631" "5820550" "5853364" "5995855" "6095991" "6142950" "6306088" "6342039" "6349228").PN.	USPAT	2003/09/16 21:23
-	10	600/\$.ccls. and apnea and ((pulse adj oximetry) or PPG or photoplethysmograph) and ((computer or processor or microcomputer or microprocessor or circuitry) same arousal)	USPAT; EPO; JPO; DER WENT	2003/09/16 22:19

-	21	600/\$.ccls. and apnea and (expert with (system or center))	USPAT; EPO; JPO; DER WENT	2003/09/16 22:20
-	14	600/\$.ccls. and ((pulse adj oximeter) or ppg) and (expert with (system or center))	USPAT; EPO; JPO; DER WENT	2003/09/17 16:40
-	22	600/\$.ccls. and ((database or server) or ((computer or processor or circuitry) with analyze)) and apnea and ((pulse adj oximeter) or ppg)	USPAT; EPO; JPO; DER WENT	2003/09/17 21:18
-	27	600/\$.ccls. and ((database or server) or ((computer or processor or circuitry) with analyze)) and apnea and (oxygen adj saturation)	USPAT; EPO; JPO; DER WENT	2003/09/17 17:04
-	65	600/529-543.ccls. and ((window with median with filter) or (slew with limitation with filter) or average or averaging or mean or averaged) and ((pulse adj oximeter) or ppg or "spo.sub.2")	USPAT; EPO; JPO; DER WENT	2003/09/17 21:41
-	12	600/\$.ccls. and (active with pulse with oximetry)	USPAT; EPO; JPO; DER WENT	2003/09/17 21:27
-	10	600/529-543.ccls. and ((window with median with filter) or (slew with limitation with filter) or average or averaging or mean or averaged) and ((pulse adj oximeter) or ppg or "spo.sub.2") and (smooth or smoothing or smooths)	USPAT; EPO; JPO; DER WENT	2003/09/17 21:43
-	3	600/\$.ccls. and (multiple with light with sources) and (pulse adj oximetry) and (AC and DC) and (current adj source)	USPAT; EPO; JPO; DER WENT	2003/09/17 21:52
-	3	600/\$.ccls. and (pulse adj oximeter) and (((oxygen or oxyhemoglobin) with saturation) or "spo.sub.2") and ((window with median with filter) or (slew with limitation with filter) or ((average or averaging or averaged) with multiple with samples))	USPAT; EPO; JPO; DER WENT	2003/09/17 21:55
-	42	600/\$.ccls. and ((pulse adj oximeter) same (ear or finger) same (forehead or head or face))	USPAT; EPO; JPO; DER WENT	2003/09/17 22:08
-	3	600/529-543.ccls. and (desaturation same (((partial adj pressure) with (oxygen or "O.sub.2")) or "ppO.sub.2" or "pO.sub.2"))	USPAT; EPO; JPO; DER WENT	2003/09/20 17:33
-	3	600/529-543.ccls. and (saturation same (((partial adj pressure) with (oxygen or "O.sub.2")) or "ppO.sub.2" or "pO.sub.2")) and desaturation	USPAT; EPO; JPO; DER WENT	2003/09/20 18:49
-	71	600/\$.ccls. and (transmission adj coil)	USPAT; EPO; JPO; DER WENT	2003/09/20 17:33
-	27	600/\$.ccls. and ((transmission adj coil) same (power or energy or battery))	USPAT; EPO; JPO; DER WENT	2003/09/20 18:21
-	12	600/300-301,529-543.ccls. and apnea and (saturation or desaturation or oximeter or oximetry) and database	USPAT; EPO; JPO; DER WENT	2003/09/20 18:36
-	95	600/300-301,529-543.ccls. and apnea and (saturation or desaturation or oximeter or oximetry) and (compar\$)	USPAT; EPO; JPO; DER WENT	2003/09/20 18:31

-	10	(600/\$.ccls. 604/\$.ccls.) and CPAP and (time with pressure with (record or store or memory))	USPAT; EPO; JPO; DER WENT	2003/09/20 18:33
-	3	(600/\$.ccls. 604/\$.ccls. 128/\$.ccls.) and (smart adj CPAP)	USPAT; EPO; JPO; DER WENT	2003/09/20 18:35
-	4	(600/\$.ccls. 604/\$.ccls. 128/\$.ccls.) and (CPAP same (time with pressure with (record or store or memory)))	USPAT; EPO; JPO; DER WENT	2003/09/20 18:36
-	23	600/300-301,529-543.ccls. and apnea and database	USPAT; EPO; JPO; DER WENT	2003/09/20 18:37
-	34	600/529-543.ccls. and (((partial adj pressure) with (oxygen or "O.sub.2")) or "ppO.sub.2" or "pO.sub.2")) and saturation	USPAT; EPO; JPO; DER WENT	2003/09/20 18:56
-	3	600/300-301,529-543.ccls. and (desaturation same ((peak or lowest or highest or nadir) with (saturation or resaturation)))	USPAT; EPO; JPO; DER WENT	2003/09/20 18:58
-	5	600/300-301,529-543.ccls. and ((record or store or storage or determine) with time with saturation with level)	USPAT; EPO; JPO; DER WENT	2003/09/20 19:00
-	19	600/300-301,529-543.ccls. and (arousal same detect\$)	USPAT; EPO; JPO; DER WENT	2003/09/20 19:06
-	8	600/529-543.ccls. and database and apnea	USPAT; EPO; JPO; DER WENT	2003/09/20 19:04
-	18	600/300-301.ccls. and database and apnea	USPAT; EPO; JPO; DER WENT	2003/09/20 19:04
-	19	600/300-301,529-543.ccls. and (determin\$ same apnea same compar\$) and (oximetry or saturation)	USPAT; EPO; JPO; DER WENT	2003/09/20 19:48
-	4	600/300-301,529-543.ccls. and (database with (compare or comparing or comparison)) and ((diagnose or diagnosis)) and (oximeter or saturation)	USPAT; EPO; JPO; DER WENT	2003/09/20 19:52
-	4	600/300-301,529-543.ccls. and (database with (compare or comparing or comparison)) and apnea	USPAT; EPO; JPO; DER WENT	2003/09/20 19:56
-	2	600/300-301,529-543.ccls. and (database with (compare or comparing or comparison)) and oximeter	USPAT; EPO; JPO; DER WENT	2003/09/20 20:12
-	2	600/300,301,323-324,364,529-543.ccls. and oximeter and (AC same DC samd component) and (current with source) and ((converter or ADC) with difference)	USPAT; EPO; JPO; DER WENT	2003/09/20 20:17
-	9	600/300,301,323-324,364,529-543.ccls. and (desaturation same (rate with change))	USPAT; EPO; JPO; DER WENT	2003/09/20 20:20

-	15	600/300,301,323-324,364,529-543.ccls. and (arousal same (saturation or desaturation))	USPAT; EPO; JPO; DER WENT	2003/09/20 20:27
-	10	600/300,301,323-324,364,529-543.ccls. and ((transmission with coil) same (power or energy or battery))	USPAT; EPO; JPO; DER WENT	2003/09/20 20:28